

## Appendix G - Noise Monitoring Results

(0700-1900 hrs on Normal Weekdays)

Location CM1 - Nga Lai House, Yau Lai Estate Phase 1, Yau Tong							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
1 Dec 2025	13:35	Fine	69.3	70.6	67.5	65.5	67
11 Dec 2025	9:55	Sunny	68.6	69.6	65.4	65.5	66
17 Dec 2025	12:44	Sunny	70.4	71.7	70.3	65.5	69
23 Dec 2025	11:16	Cloudy	69.9	71.1	67.9	65.5	68
29 Dec 2025	9:15	Sunny	71.3	72.3	69.8	65.5	70




Location CM2 - Bik Lai House, Yau Lai Estate Phase 1, Yau Tong							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
1 Dec 2025	14:15	Fine	66.8	67.9	64.6	63.6	64
11 Dec 2025	9:06	Sunny	69.7	72.0	65.7	63.6	68
17 Dec 2025	11:55	Sunny	70.1	73.9	68.1	63.6	69
23 Dec 2025	9:11	Cloudy	70.9	72.0	69.5	63.6	70
29 Dec 2025	16:20	Sunny	70.0	71.2	69.9	63.6	69

Location CM3 - Block S, Yau Lai Estate Phase 5, Yau Tong							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
1 Dec 2025	12:35	Fine	67.5	68.9	65.8	65.6	63
11 Dec 2025	10:31	Sunny	65.8	68.4	62.9	65.6	52
17 Dec 2025	13:24	Sunny	69.1	70.6	68.7	65.6	67
23 Dec 2025	12:13	Cloudy	70.6	72.1	68.6	65.6	69
29 Dec 2025	15:34	Sunny	70.6	72.2	68.7	65.6	69

Location CM4 - Tin Hau Temple, Cha Kwo Ling							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
1 Dec 2025	11:05	Fine	67.7	71.7	59.8	62.0	66
11 Dec 2025	12:11	Sunny	70.6	73.1	68.1	62.0	70
17 Dec 2025	10:02	Sunny	71.9	74.6	68.5	62.0	71
23 Dec 2025	14:02	Cloudy	70.3	72.1	69.5	62.0	70
29 Dec 2025	10:03	Sunny	68.6	69.4	66.1	62.0	68



Location CM5 - CCC Kei Faat Primary School, Yau Tong							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
1 Dec 2025	11:55	Fine	70.5	73.1	66.6	68.2	67
11 Dec 2025	12:57	Sunny	68.6	72.8	66.1	68.2	58
17 Dec 2025	14:04	Sunny	68.8	71.1	67.2	68.2	60
23 Dec 2025	14:43	Cloudy	68.9	70.5	68.1	68.2	61
29 Dec 2025	11:58	Sunny	71.3	74.2	70.8	68.2	68

## Noise Levels



Title Contract No. ED/2018/04 Trunk Road T2 and Infrastructure Works for Developments at the Former South Apron  Graphical Presentation of Construction Noise Monitoring Results	Scale	Project	CINOTECH
	N.T.S	No. MA20003	
	Date	Appendix	
	Dec 25	G	

## Noise Levels



**Notes:**

- 1) The major activitie(s) being carried out on site during the reporting period is/are presented in Section 1.11
- 2) The weather conditions during the reporting month are presented in Appendix C.
- 3) Other factors which might affect the monitoring results are presented in Section 3.13.

Title Contract No. ED/2018/04 Trunk Road T2 and Infrastructure Works for Developments at the Former South Apron  Graphical Presentation of Construction Noise Monitoring Results	Scale	Project	
	N.T.S	No. MA20003	
	Date	Appendix	
	Dec 25	G	